







At CGC, we know that settling for "good enough" is never an option. You need reliable, high-quality products that you can depend on every time.


For more than 100 years, CGC has been the leading manufacturer of the highest-performing building materials within the industry. So you can trust that when you choose our products, you are always getting the best possible quality.

We offer finishing products specifically designed to meet your needs, and a full portfolio that provides unique and adaptable solutions for a variety of environments.

Beyond outstanding products, we also offer expertise, technical support and nationwide availability. All driven by a dedication to finding solutions for you. Plus, we have the technology and manufacturing capabilities to ensure our products exceed industry standards before ever being used.

We do all of this because we believe that our reputation is built on yours. When you succeed, we succeed. Your exceptional skill-combined with our solutions-lead to better experiences and quality finishes.







CGC MANUFACTURING LOCATIONS

Surrey, BC Calgary, AB Hagersville, ON Montreal, QC

#### **REGIONS**

**REGION:** 

Eastern Canada

PRODUCT:

Sheetrock®

**LOCATIONS:** 

Hagersville, ON

Montreal, QC



**REGION:** 

Western Canada

PRODUCT:

Synko®

**LOCATIONS:** 

Surrey, BC Calgary, AB





# **JOINT COMPOUNDS**

#### ■ READY-MIX JOINT COMPOUNDS

CGC ready-mixed joint compounds are preferred for consistently high-quality work. Superior formulations are premixed to a creamy, smooth consistency and are essentially free of crater-causing air bubbles. CGC ready-mixed joint compounds can be used in hand or machine-tool applications and offer excellent slip, bond, and easy workability.

Most CGC joint compound products are GREENGUARD GOLD certified. Please review product data available at cgcinc.com or usg.ecomedes.com for product specific compliance.



#### CGC Synko® Brand Lite Line™ All Purpose Drywall Compound

#### PRODUCT DATA



- Versatile—for all drywall joint finishing steps
- Easy to apply and sand
- Less shrinkage—minimizes coats over corner bead
- · Ideal for taping, filling and finishing

#### AVAILABLE IN:

17 L Carton

#### CGC Synko® Brand Lite Joint™ Drywall Compound

#### PRODUCT DATA



- · For embedding drywall paper joint tape
- Less weight, easier to apply
- Ideal for use in mechanical taping tools
- Superior bond and low shrinkage
- Features good open time with excellent slip

#### AVAILABLE IN:

17 L Carton 18 L Pail

#### CGC Synko® Brand Lite Finish™ Drywall Compound

#### **PRODUCT DATA**



- · For fill and finish coats in drywall joint finishing
- · Less weight, easier to apply and sand
- · Good crack resistance and less shrinkage
- Exceptionally smooth and durable finish

#### AVAILABLE IN:

17 L Carton

#### CGC Synko® Brand Classic All Purpose® Drywall Compound

#### PRODUCT DATA



- Versatile—for all drywall joint finishing steps
- Easy to apply and sand, smooth finish
- Less shrinkage—minmizes coats over corner bead

#### AVAILABLE IN:

17 L Carton

#### **READY-MIX JOINT COMPOUNDS, CONTINUED**

#### CGC Synko® Brand Classic Finish® Drywall Compound



- · For fill and finish coats in drywall joint finishing
- · Smoother finishing and easier sanding
- · Good crack resistance and less shrinkage
- Exceptionally smooth and durable finish

#### PRODUCT DATA

**AVAILABLE IN:** 17 L Carton

#### CGC Synko<sup>®</sup> Brand Pro Series Fill and Finish Drywall Compound



- · For fill and finish coats in drywall joint finishing
- Superior consistency and slip performance with minimal surface imperfections
- Excellent crack resistance and less shrinkage

### PRODUCT DATA

**AVAILABLE IN:** 17 L Carton

#### CGC Synko® Brand Dust Control® Drywall Compound



- Unique formula binds up fine residue during sanding to form heavier particles that tend to fall to the floor instead of clouding the air
- Ideal for remodeling, less sanding mess
- Versatile—for all drywall joint finishing steps
- · Less weight, easier to apply

## PRODUCT DATA

AVAILABLE IN: 15.5 L Carton 13.5 L Pail 3.6 L Pail 1.8 L Pail

#### CGC Synko® Brand Redi-Filler™ Drywall Compound



- Versatile—for all drywall joint finishing steps
- · Great bond, hard-finish surface
- · Ideal for skim coating
- · Long working time and smooth finish coat

#### PRODUCT DATA

#### AVAILABLE IN:

13.5 L Pail 3.6 L Pail 1.8 L Pail

#### CGC Synko® Brand UltraLight Drywall Compound



- Versatile—for all drywall joint finishing steps
- Up to 30% less weight, easier to apply
- Excellent taping and finishing performance
- \*CGC Synko® Brand UltraLight Mold Tough® Drywall Compound has regional/limited availability\*

### PRODUCT DATA

**AVAILABLE IN:** 17 L Carton

13.5 L Pail

\*REGIONAL: British Columbia 13.5 L Pail 3.6 L Pail 1.8 L Pail

#### **■ SETTING-TYPE JOINT COMPOUNDS**

CGC setting-type drywall compounds provide faster finishing of drywall interiors, even under slow drying conditions. Rapid chemical hardening and low shrinkage permit same-day finishing and usually next-day decoration. These products feature exceptional bond, virtually unaffected by humidity extremes. They are ideal for laminating double-layer systems, particularly fire-rated assemblies, and for adhering gypsum panels to above-grade concrete surfaces. May also be used for surface texturing and for filling, smoothing and finishing interior above-grade concrete. **Note** that setting-type drywall compounds should not be used for skim coating due to dryout concerns.

#### CGC Synko® Brand Pro-Set® Setting-Type Drywall Compound

PRODUCT DATA



- Available in 30- and 90-minute set times
- For one-day patching and joint finishing and next-day decoration
- Sanding ease, similar to a ready-mixed, all-purpose drywall compound
- Provides low shrinkage and a superior bond
- · Crack resistance in heavy fills
- · Easy mixing with smooth finishing

# **AVAILABLE IN:** 9 kg Bag

#### CGC Synko® Brand Fast-Set™ Setting-Type Drywall Compound

PRODUCT DATA



- · Available in 40-minute set time
- For one-day patching and joint finishing and next-day decoration
- Provides low shrinkage and a superior bond
- · Ideal for laminating drywall and patching plaster surfaces
- Unique resistance to humidity

#### AVAILABLE IN:

9 kg Bag

#### CGC Sheetrock® Brand Durabond® Setting-Type Drywall Compound

PRODUCT DATA



- Available in 90-minute set time
- Exceptional bond with low shrinkage
- Same-day finishing and next-day decorating possible
- Excellent check-crack resistance in heavy fills
- Unique resistance to humidity

#### AVAILABLE IN:

15 kg Bag

#### **CONCRETE LEVELLING COMPOUND**

#### CGC Synko® Brand Concrete Fill™ Quick-Setting Compound

PRODUCT DATA



- Fills and levels deep voids or cracks on interior walls and ceilings
- Easy to apply and provides good adhesion
- · Very low shrinkage, excellent crack resistance
- · Lightweight and fiberglass-reinforced

AVAILABLE IN:

15 kg Bag

# **JOINT TAPES**

#### **PAPER JOINT TAPES**

From the originator of modern joint finishing, CGC reinforcing tapes add strength and crack resistance for smooth concealment at flat joints and inside corners. CGC joint tapes are high-quality and easily applied, and are available for specialized uses.

CGC Synko® Brand joint paper tape is manufactured with a unique, strong, cross-fibered tape for use with CGC joint compounds in reinforcing joints and corners in gypsum panels. Paper joint tape is ideal with both drying- and setting-type compounds, as it reinforces the joint compound in compression, bending and shear, and will prevent visible cracking.

#### **CGC Synko® Brand Paper Joint Tape**



- Superior centre creasing for trouble-free corner finishing
- · High strength to resist tearing, stretching or wrinkling
- · Processed for superior bond
- Wafer thin for easy joint treatment
- Recommended to prevent cracking and ensure good joint performance.
   Paper joint tape performs best with either drying- or setting-type joint compounds

#### PRODUCT DATA

AVAILABLE IN: 75' Roll (24/Carton) 250' Roll (20/Carton) 500' Roll (10/Carton)

2-1/16" Wide

#### FIBERGLASS JOINT TAPES

CGC Sheetrock® Brand Fiberglass Joint Tape is made with a unique cross-fiber construction to provide greater drywall joint strength than conventional fiberglass leno-weave mesh tapes. This self-adhesive tape goes on quickly, eliminating the bedding coat. Finished joints are accomplished in two coats by using setting-type joint compound. It is not recommended to use drying-type compounds with fiberglass tape.

While fiberglass mesh tape is stronger than paper tape in expansion under ultimate tensile load, it does not reinforce the drywall compound in compression, bending or shear, and will allow visible cracking of the drywall compound to occur at lower loads as the glass mesh stretches. The only time CGC recommends fiberglass joint tape is when it is being used with CGC setting-type drywall compounds.

#### **CGC Sheetrock® Brand Fiberglass Joint Tape**



- · Self-adhesive tape—no bedding coat needed
- Smooth joints in only two coats
- Use with setting-type drywall compounds for one-day joint finishing
- High number of strands-to-inch count makes it ideal for joints, cracks and small holes in drywall, plaster and ceilings

#### PRODUCT DATA

**AVAILABLE IN:** 65' Roll (24/Carton) 300' Roll (12/Carton) 500' Roll (12/Carton)

2" Wide

#### **CGC Sheetrock® Brand Mould-Resistant Fiberglass Joint Tape**



- Moisture- and mould-resistant
- · Self-adhesive tape—no bedding coat needed
- Smooth joints in only two coats
- Use with setting-type drywall compounds for one-day joint finishing
- Designed to provide increased moisture and mould protection.
   Self adhesion makes joint finishing simpler and quicker

# PRODUCT DATA

300' Roll (12/Carton)

2" Wide

# **BEAD AND TRIM**


#### ► PAPER-FACED METAL CORNER BEAD AND TRIM

For the most cost-effective, problem-free, beautiful corners, choose USG Beadex™ Brand Paper-Faced Metal Corner Bead and Trim. Fast, easy installation means reduced labour costs, while superior product performance eliminates costly job callbacks, saving money and ensuring customer satisfaction. With the tape-on versions, nailing is not required, so installation and corner alignment are easier, and there are no nails to pop when wood framing shrinks. Nail-on versions of the bead and trim are designed for applications where nailing or other mechanical fastening is desired. They use the same paper-faced metal technology to provide excellent bond adhesion qualities for joint compounds, textures and paints. The unique green "nose coating" on the paper tape covering resists scuffing and fuzzing from knives and sanding. The paper tape covering ensures excellent adhesion of joint compounds, textures and paints for a strong, smooth finish.

USG Beadex™ Brand Paper-Faced Metal Corner Bead and Trim provide superior resistance to edge cracking and chipping for a look that stays beautiful despite the stresses of normal building movement and everyday wear and tear. In fact, CGC warrants that its beads and trims will not edge crack for the lifetime of the structure using recommended application techniques.


#### 90° AND OFFSET OUTSIDE CORNER BEAD

#### USG Beadex™ Brand Paper-Faced Metal Corner Bead Outside Corner (B1W, B1XW, B1 Super Wide)



- Use for 90° outside corners. Suitable for use on any thickness of drywall
- Meets ASTM C1047
- · Standard lengths: 8', 9', 10'

#### **Dimensions** Style С D B1W EL 3/4" 11/16" 11/16" 3/4" B1XW EL 5/8" 13/16" 13/16" 5/8" B1 Super Wide 11/16" 1-1/16" 1-1/16" 11/16"



Note: XW = Extra Wide; EL = Even Leg


#### USG Beadex™ Brand Paper-Faced Metal Corner Bead Offset Outside Corner (B1 OS)



- Designed for 135° corners. Offset bead is designed to give a true offset corner with a smaller bead height requiring less compound to finish. Suitable for use on any thickness of drywall
- Meets ASTM C1047
- Standard lengths: 8', 9', 10'

	Dimension	S		
Style	A	В	С	D
B1 OS	5/8"	3/4"	1/2"	5/8"

Note: OS = Offset




#### 90° AND OFFSET INSIDE CORNER TRIM

#### USG Beadex™ Brand Paper-Faced Metal Corner Trim Inside Corner (B2)




- Designed to form a true inside (90°) corner. Suitable for use on any thickness of drywall
- Meets ASTM C1047
- Standard lengths: 8', 10'

Dimensions				
Style	Α	В	С	D
B2	5/8"	3/8"	3/8"	5/8"



#### USG Beadex™ Brand Paper-Faced Metal Corner Trim Offset Inside Corner (B2 OS)




- Designed to form a 135° offset angle on inside corners greater than 90°. Suitable for use on any thickness of drywall
- Meets ASTM C1047
- Standard lengths: 8', 9', 10'

#### Dimensions

Style	Α	В	С	D
B2 OS	5/8"	5/8"	5/8"	5/8"

Note: OS = Offset



# BEAD AND TRIM, CONTINUED SOFTLINE BULLNOSE AND OFFSET OUTSIDE CORNER BEAD

#### USG Beadex™ Brand Paper-Faced Metal Corner Bead 3/4" Bullnose Outside Corner (SLOC)




- Installs easily to form a smooth rounded outside corner. The 3/4" radius can be used for 1/2" or 5/8" drywall
- Meets ASTM C1047
- Standard lengths: 8', 9', 10'

#### **Dimensions**

Style	A	Radius	В
SLOC	5/8"	3/4"	5/8"




#### USG Beadex™ Brand Paper-Faced Metal Corner Bead 1/2" Bullnose Outside Corner (Baby Bull\*)



- Provides a narrower finished look with a smaller radius compared to other bullnose profiles.
   Also excellent for trimming around windows. Can be applied over 1/2" or 5/8" drywall
- Meets ASTM C1047
- Standard lengths: 8', 10'


#### Dimensions

Style	A	Radius	В
Baby Bull®	5/8"	1/2"	5/8"



#### L-TRIMS


#### USG Beadex™ Brand Paper-Faced Metal Trim "L" Shaped (B4)



- Use where wallboard abuts with suspended ceilings, beams, plaster, masonry and concrete walls, as well as untrimmed door and window jambs
- Meets ASTM C1047 (with the exception of B4 1/2")
- Standard lengths: 8', 10'


#### Dimensions

Style	A	В	С
B4 (1/2")	1/2"	15/16"	1-5/16"
B4 (5/8")	5/8"	13/16"	1-5/16"
B4 (3/4")	3/4"	15/16"	1-1/16"
B4 (1")	1"	15/16"	1-3/8"




#### **J-TRIMS**

#### USG Beadex™ Brand Paper-Faced Metal Trim "J" Shaped, Tape-On (B9)



- Use where wallboard abuts with suspended ceilings, beams, plaster, masonry and concrete walls, as well as untrimmed door and window jambs
- Standard lengths: 7', 8'

	Dimensions			
Style	Α	В	С	D
B9 (1/2")	1/2"	9/16"	5/8"	1-1/16"



#### **TAPE-ON FLEXIBLE OUTSIDE CORNER BEAD**


#### USG Beadex™ Brand B1 Flexible Metal Corner, Tape-On Outside Flexible Corner (B1 Beaded Flex)



- · Proprietary style designed specifically to make straight, strong outside corner angles
- Available in 3" width and manufactured with two 3/4" galvanized steel strips laminated to paper tape with a flexible gap between the strips
- Unique raised bead (nose) in the flexible gap to provide faster, easier finishing with drywall compound
- For use with any wallboard thickness
- Meets ASTM C1047
- Standard lengths: 8', 10'

DI	м	E	N	c	10	N	I

STYLE	Α	В	С	D
B1 Beaded Flex (3")	11/16"	3/4"	3/4"	11/16"




#### **PRODUCT SPOTLIGHT**

# USG BEADEX™ BRAND PAPER-FACED METAL CORNER BEAD AND TRIM

- Fast, easy installation means reduced labour costs
- Provides superior resistance to edge cracking and eliminates costly job callbacks
- Apply with drywall compound—no nails to pop when wood framing shrinks
- Excellent for use with setting-type compounds for quicker finishing and decoration
- Unique "nose coating" on paper tape covering resists scuffing and fuzzing
- Available in a variety of profiles
- Lifetime warranty against edge cracking

For a comprehensive description of the Lifetime Warranty, visit cgcinc.com



# **STRAIT-FLEX®**

#### ■ DRYWALL CORNER FLEX TAPE AND PAPER-FACED COMPOSITE DRYWALL TAPES

CGC Strait-Flex® Drywall Corner Flex Tapes form easily to all angles and corners. They will not shrink, blister, tear, sag or wrinkle. They are water-resistant and rustproof. Material can be second coated immediately. Does not require fasteners, stapling or any special tools. Slotted edges ensure superior bond.

CGC Strait-Flex® Paper-Faced Composite Drywall Tapes have a memory-free hinge design which allows for ease of installation, straighter corners and perfect angles. Straightens framing irregularities.


#### **COMPOSITE DRYWALL TAPES**

#### **CGC Strait-Flex® Original Composite Drywall Tape**



- · Inside and outside corner flex tape designed to be the most versatile, multi-purpose drywall tape available
- Allows you to create perfect inside and outside 90-degree and angled corners making it ideal for bay windows, coffered ceilings and inside corners where gaps are present
- · Will install using only half the compound compared to a conventional bead
- Available in 100' rolls; 2-3/8" (6 cm) wide

Style	A	В
Original	1-3/16"	1-3/16"




#### **CGC Strait-Flex® Medium Composite Drywall Tape**



- Inside corner flex tape allows you to create perfect inside 90-degree corners, angled corners and inside angles of bay windows
- · Use it to straighten minor framing irregularities to produce straight, strong and professional inside corners
- Available in 100' rolls; 2-1/4" (5.7 cm) wide

	Dimensions	
Style	A	В
Medium	1-1/8"	1-1/8"



#### PAPER-FACED COMPOSITE DRYWALL TAPES


#### CGC Strait-Flex\* Perfect 90\* Paper-Faced Composite Drywall Tape



- A paper-faced laminated drywall tape ideal for inside corners. The paper edging allows for easier feathering and prevents edge cracking
- The diamond-punched paper ensures ultimate bonding and faster drying while the laminated nose protects against fuzz-ups during finishing and sanding
- Available in 25' rolls; 2-1/16" (5.2 cm) wide

Dimensions
------------

Style	A	В	С	D
Perfect 90	5/16"	11/16"	11/16"	5/16"



#### **STRAIT-FLEX®, CONTINUED**


#### **CGC Strait-Flex® Gold Paper-Faced Composite Drywall Tape**



- Ideal for inside, outside and angled corners
- Memory-free hinge design speeds installation and allows you to create straight corners where framing irregularities may exist
- · Paper edging allows for easier feathering and prevents edge cracking
- Diamond-punched paper ensures ultimate bonding and faster drying while the laminated nose protects against fuzz-ups during finishing and sanding
- Available in 100' rolls; 2-1/2" (6.3 cm) wide

#### **Dimensions**

Style	A	В	С	D
Gold	7/16"	13/16"	13/16"	7/16"




#### CGC Strait-Flex® Mid-Flex 300 Paper-Faced Composite Drywall Tape



- Ideal for inside, outside and angled corners
- Memory-free hinge design speeds installation and allows you to create straight corners where framing irregularities may exist
- · Paper edging allows for easier feathering and prevents edge cracking
- Diamond-punched paper ensures ultimate bonding and faster drying while the laminated nose protects against fuzz-ups during finishing and sanding
- Available in 100' rolls; 3" (7.6 cm) wide

#### Dimensions

Style	A	В	С	D
Mid-Flex 300	1/2"	1"	1"	1/2"




#### CGC Strait-Flex® Wide-Flex 400 Paper-Faced Composite Drywall Tape



- Designed for off angles and 90-degree corners with large framing irregularities and gaps
- Product is ideal for hard-to-straighten vaults and outside corners, butterfly vaults, obtuse angles and double 5/8" outside corners
- Use to straighten framing irregularities and replace damaged metal corner bead
- Available in 100' rolls: 4" (10.2 cm) wide

#### Dimensions

Style	A	В	С	D
Wide-Flex 400	1/2"	1-1/2"	1-1/2"	1/2"




#### **CGC Strait-Flex® Arch-Stick Arched Corner Bead**



- Designed to eliminate flat spots in curved applications making it the perfect solution for free-form, custom drywall applications where a seamless installation is required
- The tear strips reduce transportation damage and are designed to make curved-to-straight transitions unnoticeable
- The composite nose resists dents and provides a beautiful corner without fuzz-ups during finishing and sanding
- Standard length: 10'

#### Dimensions

Style	A	В	
Arch-Stick	1-5/8"	1-5/8"	





# **INTERIOR TEXTURES**

#### POWDER TEXTURE

CGC powder textures provide an economical interior wall and ceiling solution for a wide range of patterns. Conveniently packaged in bags, these textures allow you to transport more at once and require less storage space.

#### **CGC Sheetrock**<sup>®</sup> Brand Medium Texture Finish<sup>™</sup> Spray Texture

#### PRODUCT DATA



- For decorating most interior ceilings
- Provides attractive sand-finish texture
- Hides minor surface defects
- Polystyrene-aggregated spray coating for use over interior, above-grade drywall, plaster and concrete ceilings
- Dries to a white finish that is often left unpainted but may be spray painted if preferred

#### AVAILABLE IN:

20 kg Bag

#### READY-MIXED TEXTURE

Ideal for repair and remodel projects, CGC ready-mixed textures eliminate the screening of lumps that occur in the mixing process, which means less wear and tear on equipment.

#### **CGC Synko® Brand Span Lite™ Spray Texture**

#### PRODUCT DATA



- Spray texture with ready-mixed convenience
- For decorating most interior walls and ceilings
- Provides attractive spatter/knockdown pattern
- Superior open time and standout
- Dries to a white finish that should be overpainted when dry

#### AVAILABLE IN:

15.5 L Carton

# **PLASTER**

#### **▼ VENEER PLASTER FINISHES AND BASECOATS**

USG veneer plaster systems offer the opportunity to trim days from interior finishing schedules and provide strong, highly abrasion-resistant surfaces. These products are designed for one- or two-coat work over gypsum bases or directly to concrete block or properly prepared monolithic concrete. Both one- or two-coat applications offer a truly monolithic surface that is superior for critical light conditions.

Plaster products are GREENGUARD certified and qualify as low VOC emitting materials (CDPH Standard Method V1.1, also known as CA Section 01350).

# GREENGUARD PRODUCT CHEFFIED OR (OW CHAPTER ARTHSTONS ULCOW/OG ULCOW/OG ULCOM/OG ULCOM/OG

#### **VENEER FINISHES**

DIAMOND

#### **USG Diamond® Veneer Finish**

# • For economical, abrasion-resistant walls and ceilings

- Excellent for texturing
- Finish coat for one- and two-coat veneer plaster systems
- Fast drying-permits next-day decorating

# PRODUCT DATA

**AVAILABLE IN:** 22.6 kg (50 lb.) Bag

#### **VENEER BASECOATS**

#### **USG Diamond® Veneer Basecoat**

# USG V. DIAMOND SERVICE SERV

- For economical two-coat residential and light-commercial applications
- Superior workability for faster, easier application
- Excellent base for a variety of plaster finishes
- High coverage—as much as 4,000 to 5,000 sq. ft. per ton

#### PRODUCT DATA

**AVAILABLE IN:** 22.6 kg (50 lb.) Bag

#### CONVENTIONAL PLASTER FINISHES AND BASECOATS

USG conventional plaster systems provide the highest-quality finish and the capability to create complex high-end surfaces such as vaults, domes and columns. These products feature excellent acoustical performance, proven fire resistance, increased abuse resistance and design flexibility, and are the best system to attain a uniform, monolithic, blemish-free, smooth surface with excellent wear resistance.

#### **CONVENTIONAL FINISHES**

#### USG Red Top® Brand Gauging Plaster: Quick Set



- Plaster of Paris for moulding and casting when mixed with water alone
- · Mixes smoothly and easily
- Provides smooth-trowel or sand-float lime-putty finishes for normal interior walls and ceilings
- Produces hard, crack and abrasion-resistant surfaces

#### PRODUCT DATA

**AVAILABLE IN:** 22.6 kg (50 lb.) Bag

#### **CONVENTIONAL FINISHES, CONTINUED**

#### **USG Red Top® Brand Gauging Plaster: Slow Set**

#### PRODUCT DATA



- · Mixes smoothly and easily
- Provides smooth-trowel or sand-float lime-putty finishes for normal interior walls and ceilings
- Produces hard, crack and abrasion-resistant surfaces

#### AVAILABLE IN:

22.6 kg (50 lb.) Bag

#### **CONVENTIONAL BASECOATS**

#### **USG Structo-Lite® Basecoat Plaster**

# STRUCTO-LITE

- Mill-mixed perlite-aggregate gypsum plaster; requires only the addition of water at the jobsite
- Ideal where it is not desirable to mix aggregate with plaster on jobs
- Lightweight plaster; weighs less than half as much as sanded plaster
- Excellent for areas requiring highly insulated plaster
- Application over gypsum lath, metal lath and masonry surfaces.
   Recommended over metal lath for float or texture finish only, not smooth-trowel finish

#### PRODUCT DATA

**AVAILABLE IN:** 22.6 kg (50 lb.) Bag

#### USG Red Top® Brand Gypsum Plaster



- Multipurpose conventional basecoat plaster applications
- The most popular conventional gypsum basecoat plaster in the building industry
- For hand or machine application; for use with sand or lightweight aggregates
- For plaster wall and ceiling assemblies requiring high fire-resistant and sound-isolating performance
- Mix with aggregate and apply to all standard lath and masonry plaster bases

#### PRODUCT DATA

**AVAILABLE IN:** 22.6 kg (50 lb.) Bag

# **PLASTER ACCESSORIES**

When conditions exist that affect the adhesion or the normal setting time of conventional plasters, veneer plasters, lime finish plasters and setting-type joint compounds, CGC offers special additives in a variety of high-performance formulations.

#### USG Gypsum Plaster Retarder: Standard Strength





- For slowing the setting time of conventional plasters, veneer plasters, lime finish plasters and setting-type joint compounds
- Easily disperse into mixing water for guick addition to plaster mix
- Available in a Standard Strength formulation

#### PRODUCT DATE



1.1 kg (2.5 lb.) Resealable Pouch

#### USG Plaster Bonder



- Compatible with a large assortment of gypsum- and cement-based plasters
- Easily applied by brush, roller or spray to a uniform continuous film
- Tinted (pink) to allow easy visual inspection when required
- Film dries quickly for same-day use, or may be left unplastered for up to 10 days

#### PRODUCT DATA

#### AVAILABLE IN:

3.7 L (1 gal.) Resealable Container





# **PRIMERS**

Whether you are skim coating an entire surface or spray applying a primer, CGC primers and primer-surfacers minimize decorating problems and help achieve a superior paint job over interior gypsum board, wood and concrete surfaces.

#### CGC Synko<sup>®</sup> Brand Quick Dry<sup>™</sup> Texture Primer

#### PRODUCT DATA



- Fast drying superior quality flat texture undercoat for new drywall
- Minimizes drywall decorating problems
- · Applies evenly with air or airless spray
- · Flat white interior latex

#### AVAILABLE IN:

18.9 L Pail 1000 L Tote

#### CGC Synko® Brand Pro Spray-On™ Texture Primer

#### PRODUCT DATA



- Premium quality flat texture undercoat specially formulated to quickly dry to a white finish and be easily sprayed onto new drywall
- Minimizes drywall decorating problems
- · Applies evenly with roller, air or airless spray
- Flat white interior latex

#### AVAILABLE IN:

18.9 L Pail

#### **CGC Synko® Brand Roll-On™ Texture Primer**

#### PRODUCT DATA



- Premium quality flat texture undercoat specially formulated to have a superior hide that quickly dries to a white finish
- Minimizes drywall decorating problems
- · Applies evenly with roller, air or airless spray
- Flat white interior latex

**AVAILABLE IN:** 18.9 L Pail

#### **PRIMERS, CONTINUED**

#### CGC Synko® Brand Pre-Coat™ Drywall Surface Equalizer

#### PRODUCT DATA



- High-solids base coat primer formulated to reduce the surface differences between drywall face paper and joint compound
- Superior high-performance basecoat
- Use under gloss and dark paints or in critical lighting conditions
- Apply with roller, brush or airless spray

#### AVAILABLE IN:

18 L Pail

#### CGC Synko® Brand T.I.P.S.™ Primer Sealer

#### PRODUCT DATA



- Premium quality flat latex primer/sealer designed for application to new drywall prior to finishing with paints, textures or wall coverings
- Primes and seals new drywall
- · Minimizes drywall decorating problems
- · Apply with roller, brush or airless spray

# **AVAILABLE IN:** 18.9 L Pail

#### **USG Sheetrock® Brand Tuff-Hide™ Primer Surfacer**

#### PRODUCT DATA



- Achieves a Level 5 finish faster
- High build spray for a smoother, more beautiful finish
- Durable coating hides minor surface defects
- Excellent for critical light areas
- Ideal finish for ceilings
- · Dries white, can be tinted to match final top coat
- Single spray application provides the same highest quality finish as the traditional two step process of skim coating surfaces with drywall compound, followed by a coat of primer

# **AVAILABLE IN:** 18.9 L Pail

# **REPAIR PRODUCTS**

Finished interior walls are subject to abuse and damage from time to time. CGC has developed a line of repair products to deal with a variety of holes, cracks, dents and abrasions.

#### PATCH AND REPAIR DRYWALL COMPOUND

#### CGC Sheetrock® Brand Dust Control® Patch & Repair Kit

#### PRODUCT DATA



- Unique formula binds up fine residue during sanding to form heavier particles that tend to fall to the floor instead of clouding the air
- Kit includes: 236mL pail of compound, 4" x 4" metal patch, compound applicator, and 2 drywall sanding pads

#### AVAILABLE IN:

1 Kit

#### CGC Sheetrock® Brand Setting-Type Drywall Compound

#### PRODUCT DATA



- Available in 5-, 20- and 90-minute set times
- For one-day patching and joint finishing and next-day decoration
- Easy to sand and provides low shrinkage and a superior bond

#### AVAILABLE IN:

1.25 kg Resealable Pouch

#### CGC Sheetrock® Brand Durabond® Setting-Type Drywall Compound

#### PRODUCT DATA



- Available in 90-minute set time
- Exceptional bond with low shrinkage
- Same-day finishing and next-day decorating possible
- Excellent check-crack resistance in heavy fills
- Unique resistance to humidity

#### AVAILABLE IN:

2 kg Resealable Pouch

23

# **REPAIR PRODUCTS, CONTINUED**

#### **DRYWALL PATCHES AND ACCESSORIES**

#### **CGC Sheetrock® Brand Drywall Repair Clips**



- For fast, easy drywall repair of large holes (over 2") and areas damaged by water
- When used with fire-rated drywall, meets building code requirements for repairing one-hour fire-rated drywall partitions
- Suitable for both 1/2" and 5/8" drywall

#### PRODUCT DATA

#### AVAILABLE IN:

6 Clips, 12 Drywall Screws

#### CGC Strait-Flex® Perma-Patch Drywall Repair Patch



- Quickly repairs door knob damage to drywall
- Imprinted with can light and standard receptacle patterns for easy trimming
- Most economical and permanent way to repair drywall, outperforms metal patches

#### PRODUCT DATA

AVAILABLE IN: 8" x 8" Patch 2 per Pack

#### **CGC Strait-Flex\* Outlet Patch Receptacle Repair Patch**



- Pre-cut to fit standard receptacle boxes
- Repairs and reinforces mis-cuts or damaged areas around receptacle box
- · Very fast, extremely strong

#### PRODUCT DATA

AVAILABLE IN: 4-3/4" x 6-1/4" Patch 2 per Pack

#### **CGC Wall Repair Patches**



- Ideal for patching holes in drywall and plaster
- Self adhesive
- Metal reinforced

#### PRODUCT DATA

# **AVAILABLE IN:**

4" x 4" Patch 6" x 6" Patch

# **QUICK REFERENCE GUIDE**

	LL COMPOUND ATION GUIDE	Page#	Embedding Tape/Bead	Filling	Finishing	Crack Repair	Hole Repair	Minimum Time Before Reapplying*
	CGC Synko® Lite Line™ All Purpose	7						24 hrs.
	CGC Synko® Lite Joint™	7		-	-		-	24 hrs.
DNUC	CGC Synko® Lite Finish™	7	-				-	24 hrs.
READY-MIXED DRYWALL COMPOUND	CGC Synko® Classic All Purpose®	7						24 hrs.
READY WALL	CGC Synko® Classic Finish®	8	-				-	24 hrs.
DRY	CGC Synko® Pro Series Fill and Finish	8	-				-	24 hrs.
	CGC Synko® Dust Control®	8					-	24 hrs.
	CGC Synko® Redi-Filler™	8						24 hrs.
	CGC Synko® UltraLight	8					-	24 hrs.
*	CGC Synko® Pro-Set® 30	9			-		-	30 mins.
SETTING-TYPE DRYWALL COMPOUND**	CGC Synko® Pro-Set® 90	9			-		-	90 mins.
SETTING-TYPE NALL COMPOU	CGC Synko® Fast Set™	9			_		-	40 mins.
SET RYWAL	CGC Sheetrock® Durabond® 90	9		-	-			90 mins.
	CGC Synko® Concrete Fill™	9	-	-	_			90 mins.

Drying time is dependant on the environment's temperature and humidity levels. At 24 °C (75 °F), 50% R.H.,

allow approximately 24 hours for compound to dry.

Setting time is a range that can be affected by temperature, relative humidity and wet-thickness. Application to porous surface or at less than 3 mm (1/8 in.) thickness may prevent chemical setting and bond. Paint should only be applied

	TRAIT-FLEX® CATION GUIDE	Page#	Outside 90° Corners	Inside 90° Corners	Angled Corners	Vaults
4POSITE YWALL TAPE	CGC Strait-Flex® Original	14				
COMPO: DRY W/	CGC Strait-Flex® Medium	14	_			-
- ш	CGC Strait-Flex® Perfect 90®	14	-			-
FACED OSITE LL TAPI	CGC Strait-Flex® Gold	15				
APER- COMP	CGC Strait-Flex® Mid-Flex 300	15				
	CGC Strait-Flex® Wide-Flex 400	15		-		

RECOMMENDED	ACCEPTABLE	- NOT RECOMMENDED

# **CGC COMMODITY CODES**

#### ■ READY-MIXED DRYWALL COMPOUNDS

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
CGC Synko® Brand Lite Line™ All Purpose Drywall Compound	17 L Carton	332030	_	75
CGC Synko® Brand Lite Joint™ Drywall Compound	17 L Carton	332032	_	75
CGC Synko® Brand Lite Joint™ Drywall Compound	18 L Pail	332011	_	48
CGC Synko® Brand Lite Finish™ Drywall Compound	17 L Carton	332034	_	75
CGC Synko® Brand Classic All Purpose® Drywall Compound	17 L Carton	332036	_	75
CGC Synko® Brand Classic Finish® Drywall Compound	17 L Carton	332038	_	75
CGC Synko® Brand Pro Series Fill and Finish Drywall Compound	17 L Carton	332045	_	75
CGC Synko® Brand Dust Control® Drywall Compound	15.5 L Carton	330171	_	75
CGC Synko® Brand Dust Control® Drywall Compound	13.5 L Pail	331351	_	48
CGC Synko® Brand Dust Control® Drywall Compound	3.6 L Pail	330361	_	144
CGC Synko® Brand Dust Control® Drywall Compound	1.8 L Pail	330181	8	27 Cartons
CGC Synko® Brand Redi-Filler™ All Purpose Drywall Compound	13.5 L Pail	330014	_	48
CGC Synko® Brand Redi-Filler™ All Purpose Drywall Compound	3.6 L Pail	330013	_	144
CGC Synko® Brand Redi-Filler™ All Purpose Drywall Compound	1.8 L Pail	330012	8	27 Cartons
CGC Synko® Brand UltraLight Drywall Compound	13.5 L Pail	330130	_	48
CGC Synko® Brand UltraLight Drywall Compound	17 L Carton	330135	_	75
CGC Synko® Brand UltraLight Mold Tough® Drywall Compound®	13.5 L Pail	330147	_	36
CGC Synko® Brand UltraLight Mold Tough® Drywall Compound®	3.6 L Pail	330146	_	120
CGC Synko® Brand UltraLight Mold Tough® Drywall Compound®	1.8 L Pail	330145	8	27 Cartons

<sup>\*</sup>Regional Availability

#### ■ SETTING-TYPE DRYWALL COMPOUNDS

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
CGC Synko® Brand Pro-Set® 90 Setting-Type Drywall Compound	9 kg Bag	330078	_	56
CGC Synko® Brand Pro-Set® 30 Setting-Type Drywall Compound	9 kg Bag	330133	_	56
CGC Synko® Brand Fast-Set™ Setting-Type Drywall Compound	9 kg Bag	330134	_	56
CGC Sheetrock® Brand Durabond® 90 Setting-Type Drywall Compound	15 kg Bag	381600	_	80
CGC Sheetrock® Brand Durabond® 90 Setting-Type Drywall Compound	2 kg Pouch	380381	6	90 Cartons
CGC Sheetrock® Brand 90 Setting-Type Drywall Compound	1.25 kg Pouch	380383	6	90 Cartons
CGC Sheetrock® Brand 20 Setting-Type Drywall Compound	1.25 kg Pouch	380384	6	90 Cartons
CGC Sheetrock® Brand 5 Setting-Type Drywall Compound	1.25 kg Pouch	380395	6	90 Cartons

#### **CONCRETE LEVELLING COMPOUND**

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
CGC Synko® Brand Concrete Fill™ Quick-Setting Compound	15 kg Bag	330027	_	40

#### **JOINT TAPES**

#### PAPER JOINT TAPES

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
CGC Synko® Brand Paper Joint Tape	75' Roll; 2-1/16" Wide	330160	24	100 Cartons
CGC Synko® Brand Paper Joint Tape	250' Roll; 2-1/16" Wide	330059	20	36 Cartons
CGC Synko® Brand Paper Joint Tape	500' Roll; 2-1/16" Wide	330057	10	40 Cartons

#### FIBERGLASS JOINT TAPES

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
CGC Sheetrock® Brand Fiberglass Joint Tape	65' Roll; 2" Wide	380012	24	75 Cartons
CGC Sheetrock® Brand Fiberglass Joint Tape	300' Roll; 2" Wide	380009	12	63 Cartons
CGC Sheetrock® Brand Fiberglass Joint Tape	500' Roll; 2" Wide	380008	12	60 Cartons
CGC Sheetrock® Brand Mould-Resistant Fiberglass Joint Tape	300' Roll; 2" Wide	380018	12	63 Cartons

#### **BEAD AND TRIM**

#### 90° AND OFFSET OUTSIDE CORNER BEAD

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Beadex® Brand Paper-Faced Metal Corner Bead Outside Corner (B1W EL)	7', 8', 9', 10', 12'	680051	50	60 Cartons
USG Beadex® Brand Paper-Faced Metal Corner Bead Outside Corner (B1XW EL)	7', 8', 9' 10', 12'	285720	50	60 Cartons
USG Beadex® Brand Paper-Faced Metal Corner Bead Outside Corner (B1 Super Wide)	7', 8', 9', 10', 12'	285780	50	54 Cartons
USG Beadex® Brand Paper-Faced Metal Corner Bead Offset Outside Corner (B1 OS)	8', 9', 10'	285650	50	60 Cartons

#### 90° AND OFFSET INSIDE CORNER TRIM

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Beadex® Brand Paper-Faced Metal Corner Trim Inside Corner (B2)	8', 9', 10'	287910	50	60 Cartons
USG Beadex® Brand Paper-Faced Metal Corner Trim Offset Inside Corner (B2 OS)	8', 9', 10'	287920	50	60 Cartons

#### SOFTLINE BULLNOSE AND OFFSET OUTSIDE CORNER BEAD

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Beadex® Brand Paper-Faced Metal Corner Bead 3/4" Bullnose Outside Corner (SLOC)	8', 9', 10', 12'	285700	50	60 Cartons
USG Beadex® Brand Paper-Faced Metal Corner Bead 1/2" Bullnose Outside Corner (Baby Bull®)	8', 9', 10', 12'	285640	50	60 Cartons

#### L-TRIMS

E 11(111)				
Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Beadex® Brand Paper-Faced Metal Trim "L" Shaped (B4 1/2")	8', 10'	287940	50	60 Cartons
USG Beadex® Brand Paper-Faced Metal Trim "L" Shaped (B4 5/8")	8', 10'	287960	50	60 Cartons
USG Beadex® Brand Paper-Faced Metal Trim "L" Shaped (B4 3/4")	8', 10'	288120	50	60 Cartons
USG Beadex® Brand Paper-Faced Metal Trim "L" Shaped (B4 1")	10'	287990	50	60 Cartons

#### J-TRIMS

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Beadex® Brand Paper-Faced Metal Trim "J" Shaped, Tape-On (B9 1/2")	7', 8'	288000	25	54 Cartons

#### TAPE-ON FLEXIBLE OUTSIDE CORNER BEAD

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Beadex* Brand B1 Flexible Metal Corner, Tape-On Outside Flexible Corner (B1 Beaded Flex)	8', 10'	285750	50	60 Cartons

#### **STRAIT-FLEX®**

#### **COMPOSITE DRYWALL TAPES**

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
CGC Strait-Flex® Original Composite Drywall Tape	100' Roll; 2-3/8" Wide	681115	12	24 Cartons
CGC Strait-Flex® Medium Composite Drywall Tape	100' Roll; 2-1/4" Wide	681135	12	24 Cartons

#### PAPER-FACED COMPOSITE DRYWALL TAPES

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
CGC Strait-Flex® Perfect 90® Paper-Faced Composite Drywall Tape	25' Roll; 2-1/16" Wide	681176	12	48 Cartons
CGC Strait-Flex® Gold Paper-Faced Composite Drywall Tape	100' Roll; 2-1/2" Wide	681130	10	24 Cartons
CGC Strait-Flex® Mid-Flex 300 Paper-Faced Composite Drywall Tape	100' Roll; 3" Wide	681120	10	24 Cartons
CGC Strait-Flex® Wide-Flex 400 Paper-Faced Composite Drywall Tape	100' Roll; 4" Wide	681125	7	24 Cartons
CGC Strait-Flex® Arch-Stick Arched Corner Bead	10'	285735	25	48 Cartons

27

#### **■ INTERIOR TEXTURES**

#### POWDER TEXTURE

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
CGC Sheetrock® Brand Medium Texture Finish™ Spray Texture	20 kg Bag	540154	_	60
READY-MIXED TEXTURE				
Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
CGC Synko® Brand Span Lite™ Spray Texture	15.5 L Carton	332025	_	75

#### **■ PLASTER**

#### **VENEER FINISHES**

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Diamond® Veneer Finish	22.6 kg (50 lb.) Bag	162640	_	63

#### **VENEER BASECOATS**

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Diamond® Veneer Basecoat	22.6 kg (50 lb.) Bag	162681	_	63

#### **CONVENTIONAL FINISHES**

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Red-Top® Brand Gauging Plaster: Quick Set	22.6 kg (50 lb.) Bag	163351	-	63
USG Red-Top® Brand Gauging Plaster: Slow Set	22.6 kg (50 lb.) Bag	163352	_	63

#### **CONVENTIONAL BASECOATS**

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Structo-Lite® Basecoat Plaster	22.6 kg (50 lb.) Bag	163841	_	40
USG Red-Top® Brand Gypsum Plaster	22.6 kg (50 lb.) Bag	163840	_	63

#### **■ PLASTER ACCESSORIES**

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Gypsum Plaster Retarder: Standard Strength	1.1 kg Resealable Pouch	160217	6	48 Cartons
USG Plaster Bonder	3.7 L Container	161200	6	36 Cartons

#### **▶** PRIMERS

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
CGC Synko® Brand Quick Dry™ Texture Primer	18.9 L Pail	330045	_	32
CGC Synko® Brand Quick Dry™ Texture Primer	1000 L Tote	330129	_	1
CGC Synko® Brand Pro Spray-On™ Texture Primer	18.9 L Pail	330048	-	32
CGC Synko® Brand Roll-On™ Texture Primer	18.9 L Pail	330043	_	32
CGC Synko® Brand Pre-Coat™ Surface Equalizer	18 L Pail	330056	_	32
CGC Synko® Brand T.I.P.S.™ Primer Sealer	18.9 L Pail	330049	_	32
USG Sheetrock® Brand Tuff-Hide™ Primer Surfacer	18.9 L Pail	542728	_	48

#### REPAIR PRODUCTS

#### DRYWALL PATCH & REPAIR COMPOUND AND ACCESSORIES

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
CGC Sheetrock® Brand Dust Control® Patch & Repair Kit	5-Piece Kit	380149	6	90 Cartons
CGC Sheetrock® Brand Drywall Repair Clips	6 Clips, 12 Screws	385001	20 Packs	96 Cartons
CGC Strait-Flex® Perma-Patch Drywall Repair Patch	8" x 8", 2-Pack	380885	50	24 Cartons
CGC Strait-Flex® Outlet Patch Receptacle Repair Patch	4-3/4" x 6-1/4" Patch, 2-Pack	380445	50	24 Cartons
CGC Wall Repair Patch	4" x 4"	380441	12	441 Cartons
CGC Wall Repair Patch	6" x 6"	380661	12	225 Cartons

NOTES		





© 2022 USG Corporation and/or its affiliates. All rights reserved.

The trademarks CGC, BABY BULL, BEADEX, CLASSIC ALL PURPOSE, CLASSIC FINISH, CONCRETE FILL, DIAMOND, DURABOND, DUST CONTROL, FAST-SET, LITE FINISH, LITE JOINT, LITE LINE, PRE-COAT, PRO-SET, QUICK DRY, RED TOP, REDI-FILLER, ROLL-ON, SHEETROCK, SPAN LITE, SPRAY-ON, STRAIT-FLEX, STRUCTO-LITE, SYNKO, T.I.P.S., TUFF-HIDE, IT'S YOUR WORLD. BUILD IT., the CGC logo, the design elements and colours, and related marks are trademarks of USG Corporation or its affiliates.

#### NOTE

Products described here may not be available in all geographic markets. Consult your CGC sales office representative for information.

to change without notice. USG Corporation assumes no responsibility for any errors that may inadvertently appear in this document.

#### NOTICE

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instructions or for other than the intended use. Our liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days from date it was or reasonably should have been discovered.

#### SAFETY FIRST

Follow good safety and industrial hygiene practices during handling and installation of all products and systems. Take necessary precautions and wear the appropriate personal protective equipment as needed. Read Safety Data Sheets and related literature on products before specification and/or installation.

#### CONTACT INFORMATION

Manufactured by CGC Inc. 735 Fourth Line Oakville, ON, L6L 5B7

#### **PRODUCT INFORMATION**

See cgcinc.com for the most up-to-date product information.

#### **CUSTOMER SERVICE**

800 387-2690

#### **WEBSITES**

cgcinc.com cgcdesignstudio.com

