SAFETY DATA SHEET

1. Identification

Product identifier CGC Sheetrock® Brand Dust Control® Drywall Compound

Other means of identification

61001010005 SDS number

Joint Compound (Ready-Mixed), Taping Compound, Mud, Finishing Compound **Synonyms**

Recommended use Interior use.

Recommended restrictions Use in accordance with manufacturer's recommendations.

Manufacturer/Importer/Supplier/Distributor information

CGC Inc. Company name

350 Burnhamthorpe Road West, 5th Floor **Address**

> Mississauga, Ontario L5B 3J1 A Subsidiary of USG Corporation

1-800-387-2690 Telephone Website www.cgcinc.com 1-800-507-8899 **Emergency phone number**

2. Hazard identification

Physical hazards Not classified. **Health hazards** Not classified.

Label elements

None. Hazard symbol Signal word None. Hazard statement None.

Precautionary statement

Observe good industrial hygiene practices. Prevention Get medical attention/advice if you feel unwell. Response

Storage Store as indicated in Section 7.

Disposal Dispose of in accordance with federal, provincial and local regulations.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Attapulgite		12174-11-7	< 5
Perlite		93763-70-3	< 5
1,3,5-tris(2-hydroxyethyl)hexah ydro-1,3,5-triazine		4719-04-4	< 0.25

All concentrations are in percent by weight. **Composition comments**

Raw materials in this product contain respirable crystalline silica as an impurity. See Section 16

for further information.

4. First-aid measures

Inhalation Dust irritates the respiratory system, and may cause coughing and difficulties in breathing. Move

injured person into fresh air and keep person calm under observation. Get medical attention if

symptoms persist.

SDS Canada 932932 Version #: 02 Revision date: 02-August-2019 1/6 Issue date: 17-March-2016

Contact with dust: Rinse area with plenty of water. Get medical attention if irritation develops or Skin contact

persists.

Dust in the eyes: Do not rub eyes. Flush thoroughly with water. If irritation occurs, get medical Eye contact

assistance.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Under normal conditions of intended use, this material does not pose a risk to health. Dust may

irritate throat and respiratory system and cause coughing.

Indication of immediate medical attention and special

treatment needed **General information** Provide general supportive measures and treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Use fire-extinguishing media appropriate for surrounding materials.

Not applicable.

Specific hazards arising from

the chemical

Not a fire hazard.

Special protective equipment and precautions for firefighters Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in

case of fire.

Fire fighting

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

Cool material exposed to heat with water spray and remove it if no risk is involved. Specific methods

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

See Section 8 of the SDS for Personal Protective Equipment.

Methods and materials for containment and cleaning up

Large Spills: Scoop spilled materials and recover as much of the product as possible for use. If spillage is unrecoverable dispose according to local, provincial, and federal regulations.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Avoid discharge to drains, sewers, and other water systems.

7. Handling and storage

Precautions for safe handling Avoid inhalation of dust and contact with skin and eyes. Minimise dust generation and

accumulation. In case of insufficient ventilation, wear suitable respiratory equipment. Observe

good industrial hygiene practices. Use proper lifting techniques.

Conditions for safe storage, including any incompatibilities Store in a cool, dry, well-ventilated place. Store in a closed container away from incompatible materials. Protect from moisture. Keep away from heat. Do not use if material has spoiled, i.e., there is a mouldy appearance or an unpleasant odour. Keep containers closed when not in use.

Filled cartons and pails of joint compound may be stacked a maximum of 3 layers high on a pallet. Pallets may only be stacked a maximum of two high.

8. Exposure controls/personal protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Туре	Value	Form	
Perlite (CAS 93763-70-3)	TWA	3 mg/m3	Respirable particles.	
		10 mg/m3	Total particulate.	

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
Perlite (CAS 93763-70-3)	TWA	3 mg/m3	Respirable fraction.

Components	Туре	Value	Form
		10 mg/m3	Total dust.
Canada. Ontario OELs. (Control	of Exposure to Biological or Che	mical Agents)	
Components	Туре	Value	Form
Perlite (CAS 93763-70-3)	TWA	3 mg/m3	Respirable fraction
		10 mg/m3	Inhalable fraction.
Canada. Quebec OELs. (Ministry Components	of Labor - Regulation respecting Type	g occupational health and sa Value	fety) Form
Attapulgite (CAS 12174-11-7)	TWA	1 fibers/cm3	Fiber.
Perlite (CAS 93763-70-3)	TWA	10 mg/m3	Total dust.
Canada Saakatahawan OELa (O	ccupational Health and Safety Re	egulations, 1996, Table 21)	
Canada. Saskatchewan OELS (Of			
•	Туре	Value	
Components Perlite (CAS 93763-70-3)	-	Value 20 mg/m3	

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide sufficient ventilation for operations causing dust formation. Observe occupational

exposure limits and minimise the risk of exposure.

Individual protection measures, such as personal protective equipment

Wear approved safety goggles. Eye/face protection

Skin protection

Hand protection It is a good industrial hygiene practice to minimise skin contact. For prolonged or repeated skin

contact use suitable protective gloves.

Other Normal work clothing (long sleeved shirts and long pants) is recommended.

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use a NIOSH/MSHA approved air purifying respirator as needed to control exposure. Consult with respirator manufacturer to determine respirator selection, use, and limitations. Use positive pressure air supplied respirator for uncontrolled releases or when air purifying respirator limitations may be exceeded. Follow respirator protection program requirements (OSHA 1910.134 and ANSI Z88.2) for all respirator

use.

Not applicable.

Thermal hazards None

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment separately from regular wash. Observe any medical surveillance requirements.

9. Physical and chemical properties

Appearance

Evaporation rate

Semi-solid. Physical state **Form** Paste. Off-white. Colour

Odour Low to no odour. **Odour threshold** Not applicable. 7.5 - 9.9pН Melting point/freezing point Not applicable. Not applicable. Initial boiling point and boiling range Flash point Not applicable.

Flammability (solid, gas) Not applicable.

CGC Sheetrock® Brand Dust Control® Drywall Compound SDS Canada 932932 Version #: 02 Revision date: 02-August-2019 Issue date: 17-March-2016

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not applicable.

Flammability limit - upper

(%)

Not applicable.

Explosive limit - lower (%)

Explosive limit - upper

(%)

Not applicable. Not applicable.

Not applicable. Vapour pressure Not applicable. Vapour density Relative density 0.8 - 1.5 (H2O=1)

Solubility(ies)

Soluble. Solubility (water)

Partition coefficient

Not applicable.

(n-octanol/water)

Auto-ignition temperature Not applicable. **Decomposition temperature** Not applicable. **Viscosity** Not applicable.

Other information

Bulk density 0.8 - 1.5 kg/l

VOC 7 g/l

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

Hazardous polymerisation does not occur.

Conditions to avoid None known. Incompatible materials None known.

Hazardous decomposition

products

Above 800°C (1472°F) limestone (CaCO3) can decompose to lime (CaO) and release carbon

dioxide (CO2).

11. Toxicological information

Information on likely routes of exposure

Inhalation Airborne dust may irritate throat and upper respiratory system causing coughing.

Skin contact May cause allergic skin reactions especially in individuals with pre-existing skin disease such as

eczema. (See Section 16).

Eye contact Airborne dust may cause mechanical eye irritation.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Dust may irritate eyes and mucous membranes of the nose, throat and upper respiratory system

causing sneezing and/or coughing.

Information on toxicological effects

Acute toxicity Not expected to be a hazard under normal conditions of intended use.

Skin corrosion/irritation Prolonged or repeated skin contact may cause drying, cracking, or irritation.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation The product contains a small amount of sensitising substance which may provoke an allergic

reaction among sensitive individuals after repeated contact.

For detailed information, see section 16.

Germ cell mutagenicity Data does not suggest that this product or any components present at greater than 0.1% are

mutagenic or genotoxic.

CGC Sheetrock® Brand Dust Control® Drywall Compound SDS Canada 932932 Version #: 02 Revision date: 02-August-2019 4/6 Issue date: 17-March-2016

Carcinogenicity This product is not expected to increase the risk of cancer.

Reproductive toxicityNot expected to be a reproductive hazard.

Specific target organ toxicity -

single exposure

No data available, but none expected.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged exposure may cause chronic effects. For detailed information, see section 16.

Further information No additional adverse health effects noted.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data available.

Bioaccumulative potential Bioaccumulation is not expected.

Mobility in soil No data available.

Other adverse effects None expected.

13. Disposal considerations

Disposal instructions Dispose of in accordance with federal, provincial and local regulations. Recycle responsibly.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Dispose of in accordance with local regulations.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS

contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

932932 Version #: 02 Revision date: 02-August-2019 Issue date: 17-March-2016 5 / 6

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

References

17-March-2016 Issue date **Revision date** 02-August-2019

Version No. 02

Further information Attapulgite: Carcinogenic to experimental animals via a route of exposure not relevant to human

exposure per ACGIH.

Skin Sensitization Potential: This product contains an amount of Triazinetriethanol (THT) (CAS No. 4719-04-4) that is within the approved EPA regulated limits. THT can act as a sensitizer.

Numerous human studies with concentrations up to 1% yielded negative (no sensitization) results. However, some results showed positive reactions in concentrations <0.5% mostly in persons with eczema.

Crystalline silica: Raw materials in this product may contain respirable crystalline silica as an impurity. The weight percent of respirable crystalline silica in this product is < 0.1%. Exposures to respirable crystalline silica are not expected during the normal use of this product. However, actual levels must be determined by workplace hygiene testing. Prolonged and repeated exposure to airborne free respirable crystalline silica can result in lung disease (i.e., silicosis) and/or lung cancer.

NFPA Ratings: Health: 1 Flammability: 0 Physical hazard: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

ACGIH: American Conference of Governmental Industrial Hygienists. List of abbreviations

NFPA: National Fire Protection Association.

RTECS: Registry of Toxic Effects of Chemical Substances. Registry of Toxic Effects of Chemical Substances (RTECS)

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

Torben et al. (2001). Environmental and Health Assessment of Substances in Household

Detergents and Cosmetic Products.

This information is provided without warranty. The information is believed to be correct. This Disclaimer

information should be used to make an independent determination of the methods to safeguard

workers and the environment.

CGC Sheetrock® Brand Dust Control® Drywall Compound

SDS Canada 6/6 932932 Version #: 02 Revision date: 02-August-2019 Issue date: 17-March-2016